

## STAC-Producten : Standaard 2020

		Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%
<b>V-Producten</b>							
STACPRIMER-V1-Resin-Neutral	n f		PV1	20,0 kg/can	± 19,2 L/can	± 1,04 kg/L	92%
STACRETE-V1-Resin-Colour	n f	± ral 7001	MV1col	20,0 kg/can	± 19,0 L/can	± 1,05 kg/L	92%
STACRETE-V1-Resin-Neutral	n f		MV1n	20,0 kg/can	± 19,2 L/can	± 1,04 kg/L	92%
STACRETE-V2-Resin-Colour	n f	± ral 7001	MV2col	20,0 kg/can	± 18,7 L/can	± 1,07 kg/L	93%
STACRETE-V2-Resin-Neutral	n f		MV2n	20,0 kg/can	± 18,9 L/can	± 1,06 kg/L	93%
STACLINEX-V1-Resin-Colour	n f	± ral 7001	LV1col	20,0 kg/can	± 17,9 L/can	± 1,12 kg/L	92%
STACLINEX-V1-Resin-Neutral	n f		LV1n	20,0 kg/can	± 18,0 L/can	± 1,11 kg/L	92%
STACLINEX-V2-Resin-Colour	n f	± ral 7001	LV2col	20,0 kg/can	± 17,7 L/can	± 1,13 kg/L	92%
STACLINEX-V2-Resin-Neutral	n f		LV2n	20,0 kg/can	± 17,9 L/can	± 1,12 kg/L	92%
STACOAT-V1-Resin-Colour	n f	± ral 7001	CV1col	25,0 kg/can	± 14,8 L/can	± 1,69 kg/L	93%
STACOAT-V1-Resin-Neutral	n f		CV1n	24,0 kg/can	± 14,8 L/can	± 1,62 kg/L	93%
STACOAT-V2-Resin-Colour	n f	± ral 7001	CV2col	25,0 kg/can	± 14,9 L/can	± 1,68 kg/L	93%
STACOAT-V2-Resin-Neutral	n f		CV2n	24,0 kg/can	± 15,2 L/can	± 1,58 kg/L	93%
STACOAT-V1-AS-Resin	n f	± ral 7005	CV1AScol	25,0 kg/can	± 14,7 L/can	± 1,70 kg/L	94%
STACOAT-V2-AS-Resin	n f	± ral 7005	CV2AScol	25,0 kg/can	± 14,8 L/can	± 1,69 kg/L	94%
STAC-V101-Resin-Neutral	n f		V101n	20,0 kg/can	± 18,9 L/can	± 1,06 kg/L	93%
				200 kg/drum	± 189 L/drum		
STAC-V201-Resin-Neutral	n f		V201n	20,0 kg/can	± 18,5 L/can	± 1,08 kg/L	93%
				205 kg/drum	± 190 L/drum		

## U1-Producten

### STACPRIMER-U1

STACPRIMER-U1-HISO	n f		PU1HS	22,0 kg/can	± 20,0 L/can	± 1,10 kg/L	58%
				11,0 kg/can	± 10,0 L/can		
				5,5 kg/can	± 5,0 L/can		
STACPRIMER-U1-ALUMIO	n f	± ral 7047	PU1AM	7,3 kg/can	± 5,0 L/can	± 1,45 kg/L	56%
STACPRIMER-U1-ZIMIO	n f	± ral 7037	PU1ZM	28,5 kg/can	± 10,0 L/can	± 2,85 kg/L	71%
				14,3 kg/can	± 5,0 L/can		

### STACOAT-U1

STACOAT-U1-ALUMIO	n f	± ral 7047	CU1AM	7,3 kg/can	± 5,0 L/can	± 1,45 kg/L	56%
STACOAT-U1-ZIMIO	n f	± ral 7037	CU1ZM	28,5 kg/can	± 10,0 L/can	± 2,85 kg/L	71%
				14,3 kg/can	± 5,0 L/can		
STACOAT-U1-TOPIN-Clear	n f		CU1TINc	22,0 kg/can	± 20,0 L/can	± 1,10 kg/L	58%
			+ STACPASTE-Colour	19,3 kg/can*	± 17,5 L/can		
				11,0 kg/can*	± 10,0 L/can		
				5,5 kg/can	± 5,0 L/can		
STACOAT-U1-TOPIN-Colour	n f	#Ral B + 2 €/kg	CU1TINcol	24,0 kg/can*	± 20,0 L/can	± 1,20 kg/L*	55%
				12,0 kg/can*	± 10,0 L/can		
				6,0 kg/can*	± 5,0 L/can		
STACOAT-U1-TOPEX-Clear	n f		CU1TEXc	22,0 kg/can	± 20,0 L/can	± 1,10 kg/L	94%
			+ STACPASTE-Colour	19,3 kg/can*	± 17,5 L/can		
				11,0 kg/can*	± 10,0 L/can		
				5,5 kg/can	± 5,0 L/can		
STACOAT-U1-TOPEX-Colour	n f	#Ral B + 2 €/kg	CU1TEXcol	24,0 kg/can*	± 20,0 L/can	± 1,20 kg/L*	87%
				12,0 kg/can*	± 10,0 L/can		
				6,0 kg/can*	± 5,0 L/can		

### STACOME-U1

STACOME-U1-COLDFLEX-Colour	n f	± ral 7045	CMU1CFcol	25,0 kg/can	± 17,9 L/can	± 1,40 kg/L	84%
		± ral 9003		6,0 kg/can	± 4,3 L/can		
		± ral 8004					

## U2-Producten

### STACPRIMER-US2

STACPRIMER-US2	n f		PUS2	10,0 kg/set	± 9,1 L/set	± 1,11 kg/L	100%
STACPRIMER-US2-comp-A			PUS2A	5,0 kg/can	± 4,2 L/can	± 1,19 kg/L	100%
STACPRIMER-US2-comp-B			PUS2B	5,0 kg/can	± 4,9 L/can	± 1,03 kg/L	100%

### STACFLOOR-US2

STACFLOOR-US2	n f	± ral 7042	FUS2	25,0 kg/set	± 13,9 L/set	± 1,80 kg/L	100%
STACFLOOR-US2-comp-A			FUS2A	5,5 kg/can	± 4,6 L/can	± 1,20 kg/L	100%
STACFLOOR-US2-comp-B-Colour			FUS2B	19,5 kg/can	± 9,3 L/can	± 2,10 kg/L	100%
			Kleine set: 5 kg	5,0 kg/set	± 2,8 L/set		
STACFLOOR-US2-comp-A				1,1 kg/can	± 0,9 L/can		
STACFLOOR-US2-comp-B-Colour				3,9 kg/can	± 1,9 L/can		

## STAC-Producten : Standaard 2020

	Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%
<b>STACOME-U2</b>						
<b>HOTFLEX</b>						
<b>HOTFLEX-S</b>						
STACOME-U2-HOTFLEX-S-Colour	± ral 7040	CMU2HFScol	450 kg/set	± 410 L/set	± 1,10 kg/L	122%
STACOME-U2-HOTFLEX-S-comp-A	± ral 9003	CMU2HFSA	225 kg/drum	± 205 L/drum	± 1,10 kg/L	122%
STACOME-U2-HOTFLEX-S-comp-B-Colour	± ral 9005	CMU2HFSBcol	225 kg/drum	± 205 L/drum	± 1,10 kg/L	122%
	± ral 8004					
	Kleine set: 120 kg		120 kg/set	± 110 L/set		
STACOME-U2-HOTFLEX-S-comp-A			60 kg/drum	± 55 L/drum		
STACOME-U2-HOTFLEX-S-comp-B-Colour			60 kg/drum	± 55 L/drum		
<b>HOTFLEX-SER</b>						
STACOME-U2-HOTFLEX-SER-Colour	± ral 7040	CMU2HFSERcol	450 kg/set	± 410 L/set	± 1,10 kg/L	107%
STACOME-U2-HOTFLEX-SER-comp-A	± ral 9003	CMU2HFSERA	225 kg/drum	± 205 L/drum	± 1,10 kg/L	107%
STACOME-U2-HOTFLEX-SER-comp-B-Colour	± ral 9005	CMU2HFSERBcol	225 kg/drum	± 205 L/drum	± 1,10 kg/L	107%
	± ral 8004					
<b>HOTFLEX-SAS</b>						
STACOME-U2-HOTFLEX-SAS-Dark-Grey	± ral 7011	CMU2HFSAScol	450 kg/set	± 410 L/set	± 1,10 kg/L	122%
STACOME-U2-HOTFLEX-SAS-comp-A		CMU2HFSASA	225 kg/drum	± 205 L/drum	± 1,10 kg/L	122%
STACOME-U2-HOTFLEX-SAS-comp-B-Dark-Grey		CMU2HFSASBcol	225 kg/drum	± 205 L/drum	± 1,10 kg/L	122%
<b>HOTFLEX-SLV</b>						
STACOME-U2-HOTFLEX-SLV-Colour	± ral 7040	CMU2HFSLVcol	450 kg/set	± 410 L/set	± 1,10 kg/L	107%
STACOME-U2-HOTFLEX-SLV-comp-A	± ral 8004	CMU2HFSLVA	225 kg/drum	± 205 L/drum	± 1,10 kg/L	107%
STACOME-U2-HOTFLEX-SLV-comp-B-Colour		CMU2HFSLVBcol	225 kg/drum	± 205 L/drum	± 1,10 kg/L	107%
	Kleine set: 120 kg		120 kg/set	± 110 L/set		
STACOME-U2-HOTFLEX-SLV-comp-A			60 kg/drum	± 55 L/drum		
STACOME-U2-HOTFLEX-SLV-comp-B-Colour			60 kg/drum	± 55 L/drum		
<b>HOTFLEX-HLV</b>						
STACOME-U2-HOTFLEX-HLV-Colour	± ral 7040	CMU2HFHLVcol	450 kg/set	± 410 L/set	± 1,10 kg/L	107%
STACOME-U2-HOTFLEX-HLV-comp-A		CMU2HFHLVA	225 kg/drum	± 205 L/drum	± 1,10 kg/L	107%
STACOME-U2-HOTFLEX-HLV-comp-B-Colour		CMU2HFHLVBcol	225 kg/drum	± 205 L/drum	± 1,10 kg/L	107%
<b>COLDFLEX</b>						
STACOME-U2-COLDFLEX-Dark-Grey	± ral 7011	CMU2CFcol	20,0 kg/set	± 14,6 L/set	± 1,37 kg/L	86%
STACOME-U2-COLDFLEX-comp-A-Dark-Grey		CMU2CFAcol	19,0 kg/can	± 13,6 L/can	± 1,40 kg/L	85%
STACOME-U2-COLDFLEX-comp-B		CMU2CFB	1,0 kg/can	± 1,0 L/can	± 1,00 kg/L	97%
<b>STACOAT-U2</b>						
STACOAT-U2-TOPEX-Clear		CU2TEXc	16,4 kg/set	± 14,8 L/set	± 1,11 kg/L	54%
STACOAT-U2-TOPEX-comp-A		CU2TEXA	3,2 kg/can	± 3,0 L/can	± 1,07 kg/L	71%
STACOAT-U2-TOPEX-comp-B-Clear		CU2TEXBc	13,2 kg/can	± 11,8 L/can	± 1,12 kg/L	50%
STACOAT-U2-TOPEX-Colour	# Ral B + 2 €/kg	CU2TEXcol	23,6 kg/set*	± 20,0 L/set	± 1,18 kg/L*	54%
STACOAT-U2-TOPEX-comp-A		CU2TEXA	3,2 kg/can	± 3,0 L/can	± 1,07 kg/L	71%
STACOAT-U2-TOPEX-comp-B-Colour		CU2TEXBcol	20,4 kg/can	± 17,0 L/can	± 1,20 kg/L*	51%
STACOAT-U2-TOPEX-HISO-Colour	# Ral B + 2 €/kg	CU2TEXHScol	28,0 kg/set*	± 20,0 L/set	± 1,40 kg/L	63%
STACOAT-U2-TOPEX-HISO-comp-A		CU2TEXHSA	5,2 kg/can	± 5,0 L/can	± 1,04 kg/L	64%
STACOAT-U2-TOPEX-HISO-comp-B-Colour		CU2TEXHSBcol	22,8 kg/can	± 15,0 L/can	± 1,52 kg/L	63%
STACOAT-U2-TOPEX-S-Colour	± ral 7042	CU2TEXScol	20,0 kg/set	± 15,3 L/set	± 1,30 kg/L	54%
STACOAT-U2-TOPEX-S-comp-A	± ral 8004	CU2TEXSA	2,8 kg/can	± 2,6 L/can	± 1,08 kg/L	71%
STACOAT-U2-TOPEX-S-comp-B-Colour	Clear	CU2TEXSBcol	17,2 kg/can	± 12,7 L/can	± 1,35 kg/L	50%
	Kleine set: 5 kg		5,0 kg/set	± 3,8 L/set		
STACOAT-U2-TOPEX-S-comp-A			0,7 kg/can	± 0,6 L/can		
STACOAT-U2-TOPEX-S-comp-B-Colour			4,3 kg/can	± 3,2 L/can		
STACOAT-U2-TOPEX-SP-Colour	± ral 9003	CU2TEXSPcol	20,0 kg/set	± 17,3 L/set	± 1,15 kg/L	54%
STACOAT-U2-TOPEX-SP-comp-A	± ral 5012	CU2TEXSPA	2,8 kg/can	± 2,6 L/can	± 1,07 kg/L	70%
STACOAT-U2-TOPEX-SP-comp-B-Colour	Clear	CU2TEXSPBcol	17,2 kg/can	± 14,7 L/can	± 1,16 kg/L	51%
	Kleine set: 5 kg		5,0 kg/set	± 4,4 L/set		
STACOAT-U2-TOPEX-SP-comp-A			0,7 kg/can	± 0,7 L/can		
STACOAT-U2-TOPEX-SP-comp-B-Colour			4,3 kg/can	± 3,7 L/can		
<b>STACOAT-U12</b>						
STACOAT-U12-TOPEX-Colour	# Ral B + 2 €/kg	CU12TEXcol	26,2 kg/set*	± 20,0 L/set	± 1,31 kg/L*	70%
STACOAT-U12-TOPEX-comp-A		CU12TEXA	8,2 kg/can	± 8,0 L/can	± 1,02 kg/L	55%
STACOAT-U12-TOPEX-comp-B-Colour		CU12TEXBcol	18,0 kg/can	± 12,0 L/can	± 1,50 kg/L*	80%
STACOAT-U12-TOPEX-LP-Colour	# Ral B + 2 €/kg	CU12TEXLPcol	19,5 kg/set*	± 15,0 L/set	± 1,30 kg/L*	65%
STACOAT-U12-TOPEX-LP-comp-A		CU12TEXLPA	5,1 kg/can	± 5,0 L/can	± 1,02 kg/L	55%
STACOAT-U12-TOPEX-LP-comp-B-Colour		CU12TEXLPBcol	14,4 kg/can	± 10,0 L/can	± 1,44 kg/L*	71%

## STAC-Producten : Standaard 2020

		Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%
<b>E-Producten</b>							
<b>E2-Producten</b>							
STACPRIMER-E2-ZIHS	n f	± ral 7009	PE2ZHS	22,5 kg/set	± 10,0 L/set	± 2,24 kg/L	58%
STACPRIMER-E2-ZIHS-comp-A-Colour			PE2ZHSA	20,6 kg/can	± 8,0 L/can	± 2,57 kg/L	64%
STACPRIMER-E2-ZIHS-comp-B			PE2ZHSB	1,9 kg/can	± 2,0 L/can	± 0,93 kg/L	31%
STACPRIMCOAT-E2-ZIFO-Colour	n f	# Ral B + 2 €/kg	PCE2ZFcol	29,0 kg/set	± 20,0 L/set	± 1,45 kg/L	68%
STACPRIMCOAT-E2-ZIFO-comp-A-Colour			PCE2ZFAcol	25,3 kg/can	± 16,0 L/can	± 1,58 kg/L	75%
STACPRIMCOAT-E2-ZIFO-comp-B			PCE2ZFB	3,7 kg/can	± 4,0 L/can	± 0,93 kg/L	44%
STACPRIMCOAT-E2-MIO-Colour	n f	± ral 7046	PCE2MIOcol	32,3 kg/set	± 20,0 L/set	± 1,62 kg/L	70%
STACPRIMCOAT-E2-MIO-comp-A-Colour		± ral 7038	PCE2MIOAcol	29,1 kg/can	± 16,7 L/can	± 1,75 kg/L	71%
STACPRIMCOAT-E2-MIO-comp-B			PCE2MIOB	3,2 kg/can	± 3,3 L/can	± 0,96 kg/L	67%
STACPRIMCOAT-E2-MIOTAR-Colour	n f	± ral 9005	PCE2MIOTARcol	30,1 kg/set	± 20,0 L/set	± 1,50 kg/L	70%
STACPRIMCOAT-E2-MIOTAR-comp-A-Colour		± ral 3009	PCE2MIOTARacol	26,3 kg/can	± 16,0 L/can	± 1,64 kg/L	74%
STACPRIMCOAT-E2-MIOTAR-comp-B		± ral 7046	PCE2MIOTARB	3,8 kg/can	± 4,0 L/can	± 0,95 kg/L	56%
		± ral 7038					
<b>EP2-Producten</b>							
STACPRIMCOAT-EP2-ALU	n f	± ral 9006	PCEP2ALU	27,9 kg/set	± 20,0 L/set	± 1,40 kg/L	82%
STACPRIMCOAT-EP2-ALU-comp-A-Colour			PCEP2ALUA	11,7 kg/can	± 10,0 L/can	± 1,17 kg/L	75%
STACPRIMCOAT-EP2-ALU-comp-B			PCEP2ALUB	16,2 kg/can	± 10,0 L/can	± 1,62 kg/L	89%
STACPRIMCOAT-EP2-MIO-Colour	n f	± ral 7046	PCEP2MIOcol	32,0 kg/set	± 19,9 L/set	± 1,61 kg/L	82%
STACPRIMCOAT-EP2-MIO-comp-A-Colour			PCEP2MIOacol	15,4 kg/can	± 9,9 L/can	± 1,55 kg/L	77%
STACPRIMCOAT-EP2-MIO-comp-B			PCEP2MIOB	16,6 kg/can	± 10,0 L/can	± 1,66 kg/L	85%
<b>ES2-Producten</b>							
STACPRIMER-ES2	n f		PES2	15,0 kg/set	± 14,6 L/set	± 1,03 kg/L	100%
STACPRIMER-ES2-comp-A			PES2A	10,0 kg/can	± 10,0 L/can	± 1,00 kg/L	100%
STACPRIMER-ES2-comp-B			PES2B	5,0 kg/can	± 4,6 L/can	± 1,08 kg/L	100%
STACFLOOR-ES2-Colour	n f	± ral 7042	FES2col	25,0 kg/set	± 15,1 L/set	± 1,65 kg/L	100%
STACFLOOR-ES2-comp-A-Colour		± ral 3016	FES2Acol	21,0 kg/can	± 11,3 L/can	± 1,85 kg/L	100%
STACFLOOR-ES2-comp-B		± ral 6001	FES2B	4,0 kg/can	± 3,8 L/can	± 1,05 kg/L	100%
<b>EW2-Producten</b>							
STACPRIMER-EW2	n f		PEW2	20,0 kg/set	± 18,2 L/set	± 1,10 kg/L	67%
STACPRIMER-EW2-comp-A			PEW2A	15,0 kg/can	± 13,2 L/can	± 1,14 kg/L	70%
STACPRIMER-EW2-comp-B			PEW2B	5,0 kg/can	± 5,0 L/can	± 1,00 kg/L	59%
			Kleine set: 4 kg	4,0 kg/set	± 3,6 L/set		
STACPRIMER-EW2-comp-A				3,0 kg/can	± 2,6 L/can		
STACPRIMER-EW2-comp-B				1,0 kg/can	± 1,0 L/can		
STACFLOOR-EW2-Colour	n f	± ral 7042	FEW2col	25,0 kg/set	± 19,2 L/set	± 1,30 kg/L	65%
STACFLOOR-EW2-comp-A-Colour		± ral 6001	FEW2Acol	20,2 kg/can	± 14,9 L/can	± 1,35 kg/L	68%
STACFLOOR-EW2-comp-B			FEW2B	4,8 kg/can	± 4,3 L/can	± 1,10 kg/L	52%
			Kleine set: 5 kg	5,0 kg/set	± 3,9 L/set		
STACFLOOR-EW2-comp-A-Colour				4,0 kg/can	± 3,0 L/can		
STACFLOOR-EW2-comp-B				1,0 kg/can	± 0,9 L/can		

## STAC-Producten : Standaard 2020

		Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%
<b>SIA-Producten</b>							
<b>WALL-Producten</b>							
STACFIX-AW1	n f		FAW1	5,0 kg/can	± 5,0 L/can	± 1,00 kg/L	9%
STACWALL-SIAW1-White	n f	± ral 9016	WSIAW1w	15,0 kg/can	± 10,0 L/can	± 1,50 kg/L	61%
STACWALL-SIAW1-Colour	n f	± ral 7001	WSIAW1c	15,0 kg/can	± 10,0 L/can	± 1,50 kg/L	61%
<b>STACOME-A1</b>							
STACOME-A1-COLFLEX-Colour	n f	± ral 7040 ± ral 8004	CMA1CFcol	25,0 kg/can	± 17,9 L/can	± 1,40 kg/L	50%
<b>Si-Producten</b>							
STACPRIMER-Si1-ZIMIO-HEAT	n f	± ral 7037	PSi1ZM	30,0 kg/can	± 10,0 L/can	± 3,00 kg/L	72%
STACCOAT-Si1-ALU-HEAT	n f	± ral 7047	CSi1AL	12,5 kg/can	± 10,0 L/can	± 1,25 kg/L	62%
<b>G-Producten</b>							
STACGALVA	n f	± ral 7001	GA	12,0 kg/can 7,0 kg/can 3,5 kg/can 1,0 kg/can	± 3,8 L/can ± 2,2 L/can ± 1,1 L/can ± 0,3 L/can	± 3,15 kg/L	59%
<b>CP-Producten</b>							
<b>Reparatiemortel</b>							
STACRETE-CP1-RS	n f	± ral 7001	MCP1RS	10,0 kg/can	± 5,0 L/can	± 2,00 kg/L	86%
STACRETE-CP1-RSP	n f	± ral 7001	MCP1RSP	10,0 kg/can	± 5,0 L/can	± 2,00 kg/L	86%

## STAC-Producten : Standaard 2020

	Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%
<b>FOAM-U2-Producten</b>						
<b>Spuiten</b>						
<b>Open cellen</b>						
<b>STACFOAM-U2-S8</b>	n f	± ral 1001	FU2S8	470 kg/set	± 406 L/set	± 1,16 kg/L 17200%
STACFOAM-U2-S8-comp-A			FU2S8A	250 kg/drum	± 203 L/drum	± 1,23 kg/L 17200%
STACFOAM-U2-S8-comp-B			FU2S8B	220 kg/drum	± 203 L/drum	± 1,08 kg/L 17200%
<b>Gesloten cellen</b>						
<b>STACFOAM-U2-S40</b>	n f	± ral 1001	FU2S40	500 kg/set	± 406 L/set	± 1,23 kg/L 3200%
STACFOAM-U2-S40-comp-A			FU2S40A	250 kg/drum	± 203 L/drum	± 1,23 kg/L 3200%
STACFOAM-U2-S40-comp-B			FU2S40B	250 kg/drum	± 203 L/drum	± 1,23 kg/L 3200%
<b>STACFOAM-U2-S45-HD</b>	n f	± ral 1001	FU2S45	500 kg/set	± 406 L/set	± 1,23 kg/L 2800%
STACFOAM-U2-S45-HD-comp-A			FU2S45A	250 kg/drum	± 203 L/drum	± 1,23 kg/L 2800%
STACFOAM-U2-S45-HD-comp-B			FU2S45B	250 kg/drum	± 203 L/drum	± 1,23 kg/L 2800%
<b>STACFOAM-U2-S55-UHD</b>	n f	± ral 1001	FU2S55	500 kg/set	± 406 L/set	± 1,23 kg/L 2300%
STACFOAM-U2-S55-UHD-comp-A			FU2S55A	250 kg/drum	± 203 L/drum	± 1,23 kg/L 2300%
STACFOAM-U2-S55-UHD-comp-B			FU2S55B	250 kg/drum	± 203 L/drum	± 1,23 kg/L 2300%
<b>STACFOAM-U2-S40-FR</b>	n f	± ral 1001	FU2S40F	500 kg/set	± 406 L/set	± 1,23 kg/L 3200%
STACFOAM-U2-S40-FR-comp-A			FU2S40FA	250 kg/drum	± 203 L/drum	± 1,23 kg/L 3200%
STACFOAM-U2-S40-FR-comp-B			FU2S40FB	250 kg/drum	± 203 L/drum	± 1,23 kg/L 3200%
<b>Injectie</b>						
<b>STACFOAM-U2-I12</b>	n f	± ral 1001	FU2I12	500 kg/set	± 406 L/set	± 1,23 kg/L 11500%
STACFOAM-U2-I12-comp-A			FU2I12A	250 kg/drum	± 203 L/drum	± 1,23 kg/L 11500%
STACFOAM-U2-I12-comp-B			FU2I12B	250 kg/drum	± 203 L/drum	± 1,23 kg/L 11500%
				100 kg/set	± 81 L/set	
				Kleine set: + 1 €/kg		
<b>STACFOAM-U2-I44-HD</b>	n f	1-3 sets	FU2I44	500 kg/set	± 406 L/set	± 1,23 kg/L 2900%
STACFOAM-U2-I44-comp-A			FU2I44A	250 kg/drum	± 203 L/drum	± 1,23 kg/L 2900%
STACFOAM-U2-I44-comp-B			FU2I44B	250 kg/drum	± 203 L/drum	± 1,23 kg/L 2900%
<b>Kitspuiten</b>						
<b>STACFOAM-U2-K28</b>	n f	± ral 1001	FU2K28	40,0 kg/set	± 33,4 L/set	± 1,20 kg/L 3800%
STACFOAM-U2-K28-comp-A			FU2K28A	20,0 kg/can	± 16,7 L/can	± 1,20 kg/L 3800%
STACFOAM-U2-K28-comp-B			FU2K28B	20,0 kg/can	± 16,7 L/can	± 1,20 kg/L 3800%
<b>STACFOAM-U2-KIT</b>	n f		FU2KIT	hose (3 m) + gun + 10 nozzles		

## STAC-Producten : Standaard 2020

		Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%
<b>Supplementen</b>							
<b>Versnellers</b>							
STAC-V-ACCELERATOR-1	n f	± ral 4007	VA1	2,0 kg/can	± 2,0 L/can	± 1,01 kg/L	73%
STAC-V-ACCELERATOR-2	n f		VA2	5,0 kg/can	± 5,3 L/can	± 0,94 kg/L	100%
STAC-U1-ACCELERATOR	n f		U1A	4,5 kg/can	± 5,0 L/can	± 0,90 kg/L	100%
				1,8 kg/can	± 2,0 L/can		
STAC-U1-ACCELERATOR-S	n f		U1AS	2,0 kg/can	± 2,1 L/can	± 0,95 kg/L	55%
				0,5 kg/can	± 0,5 L/can		
<b>Katalysatoren</b>							
STAC-V-CATALYST-1	n f		VC1	5,0 kg/can	± 4,8 L/can	± 1,04 kg/L	39%
STAC-V-CATALYST-2	n f	white powder	VC2	5,0 kg/can	± 7,9 L/can	± 0,63 kg/L	100%
<b>Vulstoffen</b>							
STACRETE-V-FILLER	n f	quartz granules	MVFi1	25,0 kg/bag	± 12,5 L/can	± 2,00 kg/L	100%
STACLAM-FILLER	n f	quartz powder	LAMFi1	25,0 kg/bag	± 12,5 L/can	± 2,00 kg/L	100%
<b>Matten</b>							
STACMAT-450	n f	powder glass	MAT450	86,0 kg/roll	± 86,0 L/roll	± 1,00 kg/L	100%
STACMAT-300	n f	powder glass	MAT300	84,0 kg/roll	± 84,0 L/roll	± 1,00 kg/L	100%
STACMAT-30	n f	c-glass-veil	MAT30	7,5 kg/roll	± 7,5 L/roll	± 1,00 kg/L	100%
STACMAT-S25	n f	synthetic-veil	MATS25	25,0 kg/roll	± 25,0 L/roll	± 1,00 kg/L	100%
STACMAT-S40	n f	synthetic-veil	MATS40	40,0 kg/roll	± 40,0 L/roll	± 1,00 kg/L	100%
<b>Anti-slip</b>							
STACLAM-FILLER	n f	quartz powder	LAMFi1	25,0 kg/bag	± 12,5 L/can	± 2,00 kg/L	100%
STACSLIP-PA-125	n f	poly-amide 125 µm	SLIPPA125	2,0 kg/can	± 3,1 L/can	± 0,64 kg/L	100%
STACSLIP-PA-250	n f	poly-amide 250 µm	SLIPPA250	2,0 kg/can	± 2,9 L/can	± 0,70 kg/L	100%
<b>Anti-statisch</b>							
STACGRAPHITE-NANO	n f	powder flakes	GRAFNF	8,0 kg/bag	± 200 L/bag	± 0,04 kg/L	100%
<b>Kleuren</b>							
			voor:				
<b>Pigmenten</b>							
STACPIGMENT-Colours	n f	STAC-V, -E	PIGcol	25,0 kg/bag	± 10,0 L/can	± 2,50 kg/L	100%
<b>Pasta's</b>							
STACPASTE-Colours	n f	U-TOP, E-ZIFD					
STACPASTE-Grey		± ral 9007	PASg	4,0 kg/can	± 3,4 L/can	± 1,19 kg/L	47%
STACPASTE-Grey-silver		± ral 7001	PASgs	4,0 kg/can	± 2,0 L/can	± 1,98 kg/L	63%
STACPASTE-Grey-window		± ral 7040	PASgw	4,0 kg/can	± 3,4 L/can	± 1,19 kg/L	47%
STACPASTE-Grey-light		± ral 7035	PASgl	4,0 kg/can	± 3,4 L/can	± 1,19 kg/L	47%
STACPASTE-White		± ral 9003	PASw	6,0 kg/can	± 2,9 L/can	± 2,07 kg/L	64%
STACPASTE-Black		± ral 9005	PASz	4,0 kg/can	± 3,5 L/can	± 1,15 kg/L	55%
STACPASTE-Red		± ral 3009	PASr	6,0 kg/can	± 3,4 L/can	± 1,75 kg/L	60%
STACPASTE-Blue		± ral 5002	PASb	4,0 kg/can	± 3,6 L/can	± 1,12 kg/L	58%
STACPASTE-Yellow		± ral 1003	PASy	6,0 kg/can	± 3,3 L/can	± 1,80 kg/L	66%
STACPASTE-S-Colours	n f	U2-TOPEX-S, -SP					
STACPASTE-S-Grey		± ral 7042	PASSg	1,0 kg/can	± 0,9 L/can	± 1,10 kg/L	39%
STACPASTE-S-White		± ral 9010	PASSw	1,0 kg/can	± 0,6 L/can	± 1,60 kg/L	38%
STACPASTE-S-Red		± ral 8004	PASSr	1,0 kg/can	± 0,8 L/can	± 1,20 kg/L	37%
STACPASTE-S-Blue		± ral 5012	PASSb	1,0 kg/can	± 0,9 L/can	± 1,10 kg/L	40%
<b>Thixotropie</b>							
STACTHIX-PE	n f	white powder	THIXPE	10,0 kg/can	± 16,7 L/can	± 0,60 kg/L	100%
STACTHIX-L	n f		THIXL	1,0 kg/can	± 1,1 L/can	± 0,90 kg/L	23%

## STAC-Producten : Standaard 2020

			Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%
<b>Voegen</b>								
<b>Mastiek</b>								
STACSEAL-U1	n f		± ral 7040 ± ral 9005	SEALU1	0,7 kg/unit	± 0,6 L/unit	± 1,18 kg/L	99%
STACSEAL-S2-Black	n f		± ral 9005	SEALS2b	10,0 kg/set	± 7,5 L/set	± 1,35 kg/L	100%
STACSEAL-S2-Black-comp-A				SEALS2bA	9,2 kg/can	± 7,0 L/can	± 1,33 kg/L	100%
STACSEAL-S2-Black-comp-B				SEALS2bB	0,8 kg/can	± 0,5 L/can	± 1,62 kg/L	100%
			Large set: 20 kg		20,0 kg/set	± 15,0 L/set	± 1,35 kg/L	100%
					18,4 kg/can	± 14,0 L/can	± 1,33 kg/L	100%
					1,6 kg/can	± 1,0 L/can	± 1,62 kg/L	100%
STACSEAL-S2-Grey	n f		± ral 7040	SEALS2g	10,9 kg/set	± 7,5 L/set	± 1,47 kg/L	100%
STACSEAL-S2-Grey-comp-A				SEALS2gA	10,0 kg/can	± 6,9 L/can	± 1,46 kg/L	100%
STACSEAL-S2-Grey-comp-B				SEALS2gB	0,9 kg/can	± 0,6 L/can	± 1,62 kg/L	100%
			Large set: 21,8 kg		21,8 kg/set	± 15,0 L/set	± 1,47 kg/L	100%
					20,0 kg/can	± 13,9 L/can	± 1,46 kg/L	100%
					1,8 kg/can	± 1,1 L/can	± 1,62 kg/L	100%
STACSEAL-S2-T-Black	n f		± ral 9005	SEALS2Tb	10,0 kg/set	± 7,5 L/set	± 1,33 kg/L	100%
STACSEAL-S2-T-Black-comp-A				SEALS2TbA	9,2 kg/can	± 7,0 L/can	± 1,31 kg/L	100%
STACSEAL-S2-T-Black-comp-B				SEALS2TbB	0,8 kg/can	± 0,5 L/can	± 1,62 kg/L	100%
			Kleine set: 3,4 kg per box of 4 sets		3,4 kg/set	± 2,5 L/set	± 1,33 kg/L	100%
					3,1 kg/can	± 2,3 L/can	± 1,31 kg/L	100%
					0,3 kg/can	± 0,2 L/can	± 1,62 kg/L	100%
STACSEAL-S2-T-Grey	n f		± ral 7040	SEALS2Tg	11,3 kg/set	± 7,5 L/set	± 1,51 kg/L	100%
STACSEAL-S2-T-Grey-comp-A				SEALS2TgA	10,5 kg/can	± 7,0 L/can	± 1,50 kg/L	100%
STACSEAL-S2-T-Grey-comp-B				SEALS2TgB	0,8 kg/can	± 0,5 L/can	± 1,62 kg/L	100%
			Kleine set: 3,9 kg per box of 4 sets		3,9 kg/set	± 2,5 L/set	± 1,51 kg/L	100%
					3,6 kg/can	± 2,3 L/can	± 1,50 kg/L	100%
					0,3 kg/can	± 0,2 L/can	± 1,62 kg/L	100%
<b>Kleefbanden</b>								
STACTAPE-75	0,075x15 m	n f	grey tape	TAPE75	3,0 kg/tape	± 2,0 L/tape	± 1,50 kg/L	100%
STACTAPE-S	0,100x15 m	n f	grey tape	TAPES	4,5 kg/tape	± 3,0 L/tape	± 1,50 kg/L	100%
STACTAPE-150	0,150x15 m	n f	grey tape	TAPE150	6,0 kg/tape	± 4,0 L/tape	± 1,50 kg/L	100%
<b>Solventen</b>								
<b>Verdunners</b>								
STAC-V-THINNER		n f		VT	9,0 kg/can	± 10,0 L/can	± 0,90 kg/L	
STAC-U-THINNER		n f		UT	22,5 kg/can	± 25,0 L/can	± 0,90 kg/L	
					4,5 kg/can	± 5,0 L/can		
STAC-U-THINNER-S		n f		UTS	22,0 kg/can	± 25,0 L/can	± 0,87 kg/L	
STAC-E-THINNER		n f		ET	21,5 kg/can	± 25,0 L/can	± 0,86 kg/L	
STAC-E-THINNER-NOAR		n f		ETNA	24,0 kg/can	± 25,0 L/can	± 0,96 kg/L	
STACGALVA-THINNER		n f		GT	21,0 kg/can	± 25,0 L/can	± 0,84 kg/L	
					4,2 kg/can	± 5,0 L/can		
<b>Oppervlakreiners</b>								
STACLEAN-ECO		n f		CLEANECO	20,0 kg/can	± 22,2 L/can	± 0,90 kg/L	
					160 kg/drum	± 178 L/drum		
STACLEAN-M		n f		CLEANM	20,0 kg/can	± 25,0 L/can	± 0,80 kg/L	
					165 kg/drum	± 206 L/drum		
STACLEAN-FIXTEN		n f		CLEANFT	25,0 kg/can	± 25,0 L/can	± 1,00 kg/L	
					10,0 kg/can	± 10,0 L/can		
STACLEAN-HYPOTEN		n f		CLEANHT	22,5 kg/can	± 20,0 L/can	± 1,12 kg/L	
<b>Gereedschapsreiners</b>								
STACLEAN-ECOTOOL		n f		CLEANECOT	25,0 kg/can	± 22,7 L/can	± 1,10 kg/L	
					225 kg/drum	± 205 L/drum		
					1.000 kg/drum	± 909 L/drum		

### Opmerkingen:

\*: Afhankelijk van de densiteit van de specifieke kleur.

#: Overzicht Ral-kleuren n f

Prijzen zijn af-fabriek en excl. BTW.

Betalingscondities, EU: 30 dagen na factuurdatum.

Betalingscondities, ex-EU: PIA (payment in advance) betaling voor verzending.

Kleinere verpakkingen: + 2 €/kg.

TF (technische fiche): klik "n" naast de PRODUCT-naam.