

STAC-Producten : Standaard 2022 Juli

		Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%
V-Producten							
STACPRIMER-V1-Resin-Neutral	n f		PV1	20,0 kg/can	± 19,2 L/can	± 1,04 kg/L	92%
STACRETE-V1-Resin-Colour	n f	± ral 7001	MV1col	20,0 kg/can	± 19,0 L/can	± 1,05 kg/L	92%
STACRETE-V1-Resin-Neutral	n f		MV1n	20,0 kg/can	± 19,2 L/can	± 1,04 kg/L	92%
STACRETE-V2-Resin-Colour	n f	± ral 7001	MV2col	20,0 kg/can	± 18,7 L/can	± 1,07 kg/L	93%
STACRETE-V2-Resin-Neutral	n f		MV2n	20,0 kg/can	± 18,9 L/can	± 1,06 kg/L	93%
STACLINER-V1-Resin-Colour	n f	± ral 7001	LV1col	20,0 kg/can	± 17,9 L/can	± 1,12 kg/L	92%
STACLINER-V1-Resin-Neutral	n f		LV1n	20,0 kg/can	± 18,0 L/can	± 1,11 kg/L	92%
STACLINER-V2-Resin-Colour	n f	± ral 7001	LV2col	20,0 kg/can	± 17,7 L/can	± 1,13 kg/L	92%
STACLINER-V2-Resin-Neutral	n f		LV2n	20,0 kg/can	± 17,9 L/can	± 1,12 kg/L	92%
STACOAT-V1-Resin-Colour	n f	± ral 7001	CV1col	25,0 kg/can	± 14,8 L/can	± 1,69 kg/L	93%
STACOAT-V1-Resin-Neutral	n f		CV1n	24,0 kg/can	± 14,8 L/can	± 1,62 kg/L	93%
STACOAT-V2-Resin-Colour	n f	± ral 7001	CV2col	25,0 kg/can	± 14,9 L/can	± 1,68 kg/L	93%
STACOAT-V2-Resin-Neutral	n f		CV2n	24,0 kg/can	± 15,2 L/can	± 1,58 kg/L	93%
STACOAT-V1-AS-Resin	n f	± ral 7005	CV1AScol	25,0 kg/can	± 14,7 L/can	± 1,70 kg/L	96%
STACOAT-V2-AS-Resin	n f	± ral 7005	CV2AScol	25,0 kg/can	± 14,8 L/can	± 1,69 kg/L	96%
STAC-V101-Resin-Neutral	n f		V101n	20,0 kg/can	± 18,9 L/can	± 1,06 kg/L	93%
				200 kg/drum	± 189 L/drum		
STAC-V201-Resin-Neutral	n f		V201n	20,0 kg/can	± 18,5 L/can	± 1,08 kg/L	93%
				205 kg/drum	± 190 L/drum		

STAC-Producten : Standaard 2022 Juli

	Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%
U1-Producten						
STACPRIMER-U1						
STACPRIMER-U1-HISO	n f	PU1HS	22,0 kg/can 11,0 kg/can 5,5 kg/can	± 20,0 L/can ± 10,0 L/can ± 5,0 L/can	± 1,10 kg/L	58%
STACPRIMER-U1-ALUMIO	n f	± ral 7047 PU1AM	7,3 kg/can	± 5,0 L/can	± 1,45 kg/L	56%
STACPRIMER-U1-ZIMIO	n f	± ral 7037 PU1ZM	28,5 kg/can 14,3 kg/can	± 10,0 L/can ± 5,0 L/can	± 2,85 kg/L	71%
STACCOAT-U1						
STACCOAT-U1-ALUMIO	n f	± ral 7047 CU1AM	7,3 kg/can	± 5,0 L/can	± 1,45 kg/L	56%
STACCOAT-U1-ZIMIO	n f	± ral 7037 CU1ZM	28,5 kg/can 14,3 kg/can	± 10,0 L/can ± 5,0 L/can	± 2,85 kg/L	71%
STACCOAT-U1-TOPIN-Clear	n f	CU1TINc + STACPASTE-Colour	22,0 kg/can 19,3 kg/can* 11,0 kg/can* 5,5 kg/can	± 20,0 L/can ± 17,5 L/can ± 10,0 L/can ± 5,0 L/can	± 1,10 kg/L	58%
STACCOAT-U1-TOPIN-Colour	n f	# Ral B + 2 €/kg CU1TINcol	24,0 kg/can* 12,0 kg/can* 6,0 kg/can*	± 20,0 L/can ± 10,0 L/can ± 5,0 L/can	± 1,20 kg/L*	55%
STACCOAT-U1-TOPEX-Clear	n f	CU1TEXc + STACPASTE-Colour	22,0 kg/can 19,3 kg/can* 11,0 kg/can* 5,5 kg/can	± 20,0 L/can ± 17,5 L/can ± 10,0 L/can ± 5,0 L/can	± 1,10 kg/L	94%
STACCOAT-U1-TOPEX-Colour	n f	# Ral B + 2 €/kg CU1TEXcol	24,0 kg/can* 12,0 kg/can* 6,0 kg/can*	± 20,0 L/can ± 10,0 L/can ± 5,0 L/can	± 1,20 kg/L*	87%
STACOME-U1						
STACOME-U1-COLDFLEX-Colour	n f	± ral 7045 ± ral 9003 ± ral 8004 CMU1CFcol	25,0 kg/can 6,0 kg/can	± 17,9 L/can ± 4,3 L/can	± 1,40 kg/L	84%
STACOME-U1-COLDFLEX-T	n f	Transparent CMU1CFT	20,0 kg/can 5,0 kg/can	± 19,0 L/can ± 4,8 L/can	± 1,05 kg/L	80%

STAC-Producten : Standaard 2022 Juli

	Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%
U2-Producten						
STACPRIMER-U2						
STACPRIMER-U2		PUS2	10,0 kg/set	± 9,1 L/set	± 1,11 kg/L	100%
STACPRIMER-U2-comp-A		PUS2A	5,0 kg/can	± 4,2 L/can	± 1,19 kg/L	100%
STACPRIMER-U2-comp-B		PUS2B	5,0 kg/can	± 4,9 L/can	± 1,03 kg/L	100%
STACFLOOR-U2						
STACFLOOR-U2	± ral 7042	FU2	26,5 kg/set*	± 20,0 L/set	± 1,33 kg/L*	46%
STACFLOOR-U2-comp-A		FU2A	4,0 kg/can*	± 4,0 L/can	± 1,00 kg/L	33%
STACFLOOR-U2-comp-B-Colour		FU2B	22,5 kg/can*	± 16,0 L/can	± 1,41 kg/L*	50%
		Kleine set: 13,3 kg	13,3 kg/set*	± 10,0 L/set		
STACFLOOR-U2-comp-A			2,0 kg/can*	± 2,0 L/can		
STACFLOOR-U2-comp-B-Colour			11,3 kg/can*	± 8,0 L/can		
STACFLOOR-U2						
STACFLOOR-U2	± ral 7042	FUS2	25,0 kg/set	± 13,9 L/set	± 1,80 kg/L	100%
STACFLOOR-U2-comp-A		FUS2A	5,5 kg/can	± 4,6 L/can	± 1,20 kg/L	100%
STACFLOOR-U2-comp-B-Colour		FUS2B	19,5 kg/can	± 9,3 L/can	± 2,10 kg/L	100%
		Kleine set: 5 kg	5,0 kg/set	± 2,8 L/set		
STACFLOOR-U2-comp-A			1,1 kg/can	± 0,9 L/can		
STACFLOOR-U2-comp-B-Colour			3,9 kg/can	± 1,9 L/can		
STACOME-U2						
HOTFLEX						
HOTFLEX-S						
STACOME-U2-HOTFLEX-S-Colour	± ral 7040	CMU2HFScol	450 kg/set	± 410 L/set	± 1,10 kg/L	122%
STACOME-U2-HOTFLEX-S-comp-A	± ral 9003	CMU2HFSA	225 kg/drum	± 205 L/drum	± 1,10 kg/L	122%
STACOME-U2-HOTFLEX-S-comp-B-Colour	± ral 9005	CMU2HFSBcol	225 kg/drum	± 205 L/drum	± 1,10 kg/L	122%
		± ral 8004				
		Kleine set: 120 kg	120 kg/set	± 110 L/set		
STACOME-U2-HOTFLEX-S-comp-A			60 kg/drum	± 55 L/drum		
STACOME-U2-HOTFLEX-S-comp-B-Colour			60 kg/drum	± 55 L/drum		
HOTFLEX-SER						
STACOME-U2-HOTFLEX-SER-Colour	± ral 7040	CMU2HFSERcol	450 kg/set	± 410 L/set	± 1,10 kg/L	107%
STACOME-U2-HOTFLEX-SER-comp-A	± ral 9003	CMU2HFSESA	225 kg/drum	± 205 L/drum	± 1,10 kg/L	107%
STACOME-U2-HOTFLEX-SER-comp-B-Colour	± ral 9005	CMU2HFSESBcol	225 kg/drum	± 205 L/drum	± 1,10 kg/L	107%
		± ral 8004				
HOTFLEX-SAS						
STACOME-U2-HOTFLEX-SAS-Dark-Grey	± ral 7011	CMU2HFSAcol	450 kg/set	± 410 L/set	± 1,10 kg/L	122%
STACOME-U2-HOTFLEX-SAS-comp-A		CMU2HFSAASA	225 kg/drum	± 205 L/drum	± 1,10 kg/L	122%
STACOME-U2-HOTFLEX-SAS-comp-B-Dark-Grey		CMU2HFSAASBcol	225 kg/drum	± 205 L/drum	± 1,10 kg/L	122%
HOTFLEX-SLV						
STACOME-U2-HOTFLEX-SLV-Colour	± ral 7040	CMU2HFSLVcol	450 kg/set	± 410 L/set	± 1,10 kg/L	107%
STACOME-U2-HOTFLEX-SLV-comp-A	± ral 8004	CMU2HFSLVA	225 kg/drum	± 205 L/drum	± 1,10 kg/L	107%
STACOME-U2-HOTFLEX-SLV-comp-B-Colour		CMU2HFSLVBcol	225 kg/drum	± 205 L/drum	± 1,10 kg/L	107%
		Kleine set: 120 kg	120 kg/set	± 110 L/set		
STACOME-U2-HOTFLEX-SLV-comp-A			60 kg/drum	± 55 L/drum		
STACOME-U2-HOTFLEX-SLV-comp-B-Colour			60 kg/drum	± 55 L/drum		
HOTFLEX-HLV						
STACOME-U2-HOTFLEX-HLV-Colour	± ral 7040	CMU2HFHLVcol	450 kg/set	± 410 L/set	± 1,10 kg/L	107%
STACOME-U2-HOTFLEX-HLV-comp-A		CMU2HFHLVA	225 kg/drum	± 205 L/drum	± 1,10 kg/L	107%
STACOME-U2-HOTFLEX-HLV-comp-B-Colour		CMU2HFHLVBcol	225 kg/drum	± 205 L/drum	± 1,10 kg/L	107%
COLDFLEX						
STACOME-U2-COLDFLEX-Dark-Grey	± ral 7011	CMU2CFcol	20,0 kg/set	± 14,6 L/set	± 1,37 kg/L	86%
STACOME-U2-COLDFLEX-comp-A-Dark-Grey		CMU2CFacol	19,0 kg/can	± 13,6 L/can	± 1,40 kg/L	85%
STACOME-U2-COLDFLEX-comp-B		CMU2CFB	1,0 kg/can	± 1,0 L/can	± 1,00 kg/L	97%
		Kleine set: 5 kg	5 kg/set	± 4,6 L/set		
STACOME-U2-COLDFLEX-comp-A-Dark-Grey			4,8 kg/can	± 3,4 L/can		
STACOME-U2-COLDFLEX-comp-B			0,2 kg/can	± 0,2 L/can		

STAC-Producten : Standaard 2022 Juli

		Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%
STACOAT-U2							
STACOAT-U2-TOPEX-Clear	n f		CU2TEXc	16,4 kg/set	± 14,8 L/set	± 1,11 kg/L	54%
STACOAT-U2-TOPEX-comp-A			CU2TEXA	3,2 kg/can	± 3,0 L/can	± 1,07 kg/L	71%
STACOAT-U2-TOPEX-comp-B-Clear			CU2TEXBc	13,2 kg/can	± 11,8 L/can	± 1,12 kg/L	50%
STACOAT-U2-TOPEX-Colour	n f	# Ral B + 2 €/kg	CU2TEXcol	23,6 kg/set*	± 20,0 L/set	± 1,18 kg/L*	54%
STACOAT-U2-TOPEX-comp-A			CU2TEXA	3,2 kg/can	± 3,0 L/can	± 1,07 kg/L	71%
STACOAT-U2-TOPEX-comp-B-Colour			CU2TEXBcol	20,4 kg/can	± 17,0 L/can	± 1,20 kg/L*	51%
STACOAT-U2-TOPEX-HISO-Colour	n f	# Ral B + 2 €/kg	CU2TEXHScol	28,0 kg/set*	± 20,0 L/set	± 1,40 kg/L	63%
STACOAT-U2-TOPEX-HISO-comp-A			CU2TEXHSA	5,2 kg/can	± 5,0 L/can	± 1,04 kg/L	64%
STACOAT-U2-TOPEX-HISO-comp-B-Colour			CU2TEXHSBcol	22,8 kg/can	± 15,0 L/can	± 1,52 kg/L	63%
STACOAT-U2-TOPEX-S-Colour	n f	± ral 7042	CU2TEXScol	20,0 kg/set	± 15,3 L/set	± 1,30 kg/L	54%
STACOAT-U2-TOPEX-S-comp-A		± ral 8004	CU2TEXSA	2,8 kg/can	± 2,6 L/can	± 1,08 kg/L	71%
STACOAT-U2-TOPEX-S-comp-B-Colour		Clear	CU2TEXSBcol	17,2 kg/can	± 12,7 L/can	± 1,35 kg/L	50%
			Kleine set: 5 kg	5,0 kg/set	± 3,8 L/set		
STACOAT-U2-TOPEX-S-comp-A				0,7 kg/can	± 0,6 L/can		
STACOAT-U2-TOPEX-S-comp-B-Colour				4,3 kg/can	± 3,2 L/can		
STACOAT-U2-TOPEX-SP-Colour	n f	± ral 9003	CU2TEXSPcol	20,0 kg/set	± 17,3 L/set	± 1,15 kg/L	54%
STACOAT-U2-TOPEX-SP-comp-A		± ral 5012	CU2TEXSPA	2,8 kg/can	± 2,6 L/can	± 1,07 kg/L	70%
STACOAT-U2-TOPEX-SP-comp-B-Colour		Clear	CU2TEXSPBcol	17,2 kg/can	± 14,7 L/can	± 1,16 kg/L	51%
			Kleine set: 5 kg	5,0 kg/set	± 4,4 L/set		
STACOAT-U2-TOPEX-SP-comp-A				0,7 kg/can	± 0,7 L/can		
STACOAT-U2-TOPEX-SP-comp-B-Colour				4,3 kg/can	± 3,7 L/can		
STACOAT-U12							
STACOAT-U12-TOPEX-Colour	n f	# Ral B + 2 €/kg	CU12TEXcol	26,2 kg/set*	± 20,0 L/set	± 1,31 kg/L*	70%
STACOAT-U12-TOPEX-comp-A			CU12TEXA	8,2 kg/can	± 8,0 L/can	± 1,02 kg/L	55%
STACOAT-U12-TOPEX-comp-B-Colour			CU12TEXBcol	18,0 kg/can	± 12,0 L/can	± 1,50 kg/L*	80%
STACOAT-U12-TOPEX-LP-Colour	n f	# Ral B + 2 €/kg	CU12TEXLPcol	19,5 kg/set*	± 15,0 L/set	± 1,30 kg/L*	65%
STACOAT-U12-TOPEX-LP-comp-A			CU12TEXLPA	5,1 kg/can	± 5,0 L/can	± 1,02 kg/L	55%
STACOAT-U12-TOPEX-LP-comp-B-Colour			CU12TEXLPBcol	14,4 kg/can	± 10,0 L/can	± 1,44 kg/L*	71%

STAC-Producten : Standaard 2022 Juli

	Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%	
E-Producten							
E2-Producten							
STACPRIMER-E2-ZIHS	n f	± ral 7009	PE2ZHS	22,5 kg/set	± 10,0 L/set	± 2,24 kg/L	58%
STACPRIMER-E2-ZIHS-comp-A-Colour			PE2ZHSA	20,6 kg/can	± 8,0 L/can	± 2,57 kg/L	64%
STACPRIMER-E2-ZIHS-comp-B			PE2ZHSB	1,9 kg/can	± 2,0 L/can	± 0,93 kg/L	31%
STACPRIMCOAT-E2-ZIFO-Colour	n f	# Ral B + 2 €/kg	PCE2ZFcol	29,0 kg/set	± 20,0 L/set	± 1,45 kg/L	68%
STACPRIMCOAT-E2-ZIFO-comp-A-Colour			PCE2ZFAcol	25,3 kg/can	± 16,0 L/can	± 1,58 kg/L	75%
STACPRIMCOAT-E2-ZIFO-comp-B			PCE2ZFB	3,7 kg/can	± 4,0 L/can	± 0,93 kg/L	44%
			Kleine set: 7,2 kg (5 L)	7,2 kg/set	± 5,0 L/set		
				6,3 kg/can	± 4,0 L/can		
				0,9 kg/can	± 1,0 L/can		
STACPRIMCOAT-E2-MIO-Colour	n f	± ral 7046	PCE2ALU	32,3 kg/set	± 20,0 L/set	± 1,62 kg/L	70%
STACPRIMCOAT-E2-MIO-comp-A-Colour		± ral 7038	PCE2MIOAcol	29,1 kg/can	± 16,7 L/can	± 1,75 kg/L	71%
STACPRIMCOAT-E2-MIO-comp-B			PCE2MIOB	3,2 kg/can	± 3,3 L/can	± 0,96 kg/L	67%
STACPRIMCOAT-E2-MIOTAR-Colour	n f	± ral 9005	PCE2MIOTARcol	30,1 kg/set	± 20,0 L/set	± 1,50 kg/L	70%
STACPRIMCOAT-E2-MIOTAR-comp-A-Colour		± ral 3009	PCE2MIOTARacol	26,3 kg/can	± 16,0 L/can	± 1,64 kg/L	74%
STACPRIMCOAT-E2-MIOTAR-comp-B		± ral 7046	PCE2MIOTARB	3,8 kg/can	± 4,0 L/can	± 0,95 kg/L	56%
		± ral 7038					
EP2-Producten							
STACPRIMCOAT-EP2-ALU	n f	± ral 9006	PCE2ALU	27,9 kg/set	± 20,0 L/set	± 1,40 kg/L	82%
STACPRIMCOAT-EP2-ALU-comp-A-Colour			PCE2ALUA	11,7 kg/can	± 10,0 L/can	± 1,17 kg/L	75%
STACPRIMCOAT-EP2-ALU-comp-B			PCE2ALUB	16,2 kg/can	± 10,0 L/can	± 1,62 kg/L	89%
STACPRIMCOAT-EP2-MIO-Colour	n f	± ral 7046	PCE2MIOcol	32,0 kg/set	± 19,9 L/set	± 1,61 kg/L	82%
STACPRIMCOAT-EP2-MIO-comp-A-Colour			PCE2MIOAcol	15,4 kg/can	± 9,9 L/can	± 1,55 kg/L	77%
STACPRIMCOAT-EP2-MIO-comp-B			PCE2MIOB	16,6 kg/can	± 10,0 L/can	± 1,66 kg/L	85%
ES2-Producten							
STACPRIMER-ES2	n f		PES2	15,0 kg/set	± 14,6 L/set	± 1,03 kg/L	100%
STACPRIMER-ES2-comp-A			PES2A	10,0 kg/can	± 10,0 L/can	± 1,00 kg/L	100%
STACPRIMER-ES2-comp-B			PES2B	5,0 kg/can	± 4,6 L/can	± 1,08 kg/L	100%
STACFLOOR-ES2-Colour	n f	± ral 7042	FES2col	25,0 kg/set	± 15,1 L/set	± 1,65 kg/L	100%
STACFLOOR-ES2-comp-A-Colour		± ral 3016	FES2Acol	21,0 kg/can	± 11,3 L/can	± 1,85 kg/L	100%
STACFLOOR-ES2-comp-B		± ral 6001	FES2B	4,0 kg/can	± 3,8 L/can	± 1,05 kg/L	100%
EW2-Producten							
STACPRIMER-EW2	n f		PEW2	20,0 kg/set	± 18,2 L/set	± 1,10 kg/L	67%
STACPRIMER-EW2-comp-A			PEW2A	15,0 kg/can	± 13,2 L/can	± 1,14 kg/L	70%
STACPRIMER-EW2-comp-B			PEW2B	5,0 kg/can	± 5,0 L/can	± 1,00 kg/L	59%
			Kleine set: 4 kg	4,0 kg/set	± 3,6 L/set		
				3,0 kg/can	± 2,6 L/can		
				1,0 kg/can	± 1,0 L/can		
STACFLOOR-EW2-Colour	n f	± ral 7042	FEW2col	25,0 kg/set	± 19,2 L/set	± 1,30 kg/L	65%
STACFLOOR-EW2-comp-A-Colour		± ral 6001	FEW2Acol	20,2 kg/can	± 14,9 L/can	± 1,35 kg/L	68%
STACFLOOR-EW2-comp-B			FEW2B	4,8 kg/can	± 4,3 L/can	± 1,10 kg/L	52%
			Kleine set: 5 kg	5,0 kg/set	± 3,9 L/set		
				4,0 kg/can	± 3,0 L/can		
				1,0 kg/can	± 0,9 L/can		

STAC-Producten : Standaard 2022 Juli

		Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%
SIA-Producten							
WALL-Producten							
STACFIX-A1	n f		FA1	5,0 kg/can	± 5,0 L/can	± 1,00 kg/L	9%
STACWALL-SIA1-White	n f	± ral 9016	WSiA1w	15,0 kg/can	± 10,0 L/can	± 1,50 kg/L	61%
STACWALL-SIA1-Colour	n f	± ral 7001	WSiA1c	15,0 kg/can	± 10,0 L/can	± 1,50 kg/L	61%
STACOME-A1							
STACOME-A1-COLDFLEX-Colour	n f	± ral 7040 ± ral 8004	CMA1CFcol	25,0 kg/can	± 17,9 L/can	± 1,40 kg/L	50%
Si-Producten							
STACPRIMER-Si1-ZIMIO-HEAT	n f	± ral 7037	PSi1ZM	30,0 kg/can	± 10,0 L/can	± 3,00 kg/L	72%
STACCOAT-Si1-ALU-HEAT	n f	± ral 7047	CSi1AL	12,5 kg/can	± 10,0 L/can	± 1,25 kg/L	62%
STACPRIMER-Si1-T	n f	Transparent	PSi1T	1,0 kg/can	± 1,1 L/can	± 0,87 kg/L	2%
SiTi-Producten							
STACPRIMER-SiTi1-T	n f	Transparent	PSiTi1T	4,0 kg/can	± 5,0 L/can	± 0,81 kg/L	8%
G-Producten							
STACGALVA	n f	± ral 7001	GA	12,0 kg/can 7,0 kg/can 3,5 kg/can 1,5 kg/can	± 3,8 L/can ± 2,2 L/can ± 1,1 L/can ± 0,5 L/can	± 3,15 kg/L	59%
CP-Producten							
Reparatiemortel							
STACRETE-CP1-RS	n f	± ral 7001	MCP1RS	10,0 kg/can	± 5,0 L/can	± 2,00 kg/L	86%
STACRETE-CP1-RSP	n f	± ral 7001	MCP1RSP	10,0 kg/can	± 5,0 L/can	± 2,00 kg/L	86%

STAC-Producten : Standaard 2022 Juli

		Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%
Supplementen							
Versnellers							
STAC-V-ACCELERATOR-1	n f	± ral 4007	VA1	2,0 kg/can	± 2,0 L/can	± 1,01 kg/L	73%
STAC-V-ACCELERATOR-2	n f		VA2	5,0 kg/can	± 5,3 L/can	± 0,94 kg/L	100%
STAC-U1-ACCELERATOR	n f		U1A	4,5 kg/can	± 5,0 L/can	± 0,90 kg/L	100%
				1,8 kg/can	± 2,0 L/can		
STAC-U1-ACCELERATOR-S	n f		U1AS	2,0 kg/can	± 2,1 L/can	± 0,95 kg/L	55%
				0,5 kg/can	± 0,5 L/can		
Katalysatoren							
STAC-V-CATALYST-1	n f		VC1	5,0 kg/can	± 4,8 L/can	± 1,04 kg/L	39%
STAC-V-CATALYST-2	n f	white powder	VC2	5,0 kg/can	± 7,9 L/can	± 0,63 kg/L	100%
Vulstoffen							
STACRETE-V-FILLER	n f	quartz granules	MVFi1	25,0 kg/bag	± 12,5 L/can	± 2,00 kg/L	100%
STACLAM-FILLER	n f	quartz powder	LAMFi1	25,0 kg/bag	± 12,5 L/can	± 2,00 kg/L	100%
Matten							
STACMAT-450	n f	powder glass	MAT450	44,0 kg/roll	± 44,0 L/roll	± 1,00 kg/L	100%
STACMAT-300	n f	powder glass	MAT300	37,0 kg/roll	± 37,0 L/roll	± 1,00 kg/L	100%
STACMAT-30	n f	c-glass-veil	MAT30	7,5 kg/roll	± 7,5 L/roll	± 1,00 kg/L	100%
STACMAT-S25	n f	synthetic-veil	MATS25	25,0 kg/roll	± 25,0 L/roll	± 1,00 kg/L	100%
STACMAT-S40	n f	synthetic-veil	MATS40	40,0 kg/roll	± 40,0 L/roll	± 1,00 kg/L	100%
Anti-slip							
STACLAM-FILLER	n f	quartz powder	LAMFi1	25,0 kg/bag	± 12,5 L/can	± 2,00 kg/L	100%
STACSLIP-PA-125	n f	poly-amide 125 µm	SLIPPA125	2,0 kg/can	± 3,1 L/can	± 0,64 kg/L	100%
STACSLIP-PA-250	n f	poly-amide 250 µm	SLIPPA250	2,0 kg/can	± 2,9 L/can	± 0,70 kg/L	100%
Anti-statisch							
STACGRAPHITE-NANO	n f	powder flakes	GRAFN	13,0 kg/bag	± 87 L/bag	± 0,15 kg/L	100%
Kleuren							
voor:							
Pigmenten							
STACPIGMENT-Colours	n f	STAC-V, -E	PIGcol	25,0 kg/bag	± 10,0 L/can	± 2,50 kg/L	100%
Pasta's							
STACPASTE-Colours	n f	U-TOP, E-ZIFO					
STACPASTE-Grey		± ral 9007	PASg	4,0 kg/can	± 3,4 L/can	± 1,19 kg/L	47%
STACPASTE-Grey-silver		± ral 7001	PASgs	4,0 kg/can	± 2,0 L/can	± 1,98 kg/L	63%
STACPASTE-Grey-window		± ral 7040	PASgw	4,0 kg/can	± 3,4 L/can	± 1,19 kg/L	47%
STACPASTE-Grey-light		± ral 7035	PASgl	4,0 kg/can	± 3,4 L/can	± 1,19 kg/L	47%
STACPASTE-White		± ral 9003	PASw	6,0 kg/can	± 2,9 L/can	± 2,07 kg/L	64%
STACPASTE-Black		± ral 9005	PASz	4,0 kg/can	± 3,5 L/can	± 1,15 kg/L	55%
STACPASTE-Red		± ral 3009	PASr	6,0 kg/can	± 3,4 L/can	± 1,75 kg/L	60%
STACPASTE-Blue		± ral 5002	PASb	4,0 kg/can	± 3,6 L/can	± 1,12 kg/L	58%
STACPASTE-Yellow		± ral 1003	PASy	6,0 kg/can	± 3,3 L/can	± 1,80 kg/L	66%
STACPASTE-S-Colours	n f	U2-TOPEX-S, -SP					
STACPASTE-S-Grey		± ral 7042	PASSg	1,0 kg/can	± 0,9 L/can	± 1,10 kg/L	39%
STACPASTE-S-White		± ral 9010	PASSw	1,0 kg/can	± 0,6 L/can	± 1,60 kg/L	38%
STACPASTE-S-Red		± ral 8004	PASSr	1,0 kg/can	± 0,8 L/can	± 1,20 kg/L	37%
STACPASTE-S-Blue		± ral 5012	PASSb	1,0 kg/can	± 0,9 L/can	± 1,10 kg/L	40%
Thixotropie							
STACTHIX-PE	n f	white powder	THIXPE	10,0 kg/bag	± 16,7 L/can	± 0,60 kg/L	100%
STACTHIX-L	n f		THIXL	1,0 kg/can	± 1,1 L/can	± 0,90 kg/L	23%

STAC-Producten : Standaard 2022 Juli

			Standaard ± Ral	Code	Kg per unit	Indicatief Liter per unit	Densiteit	DFT%
Voegen								
Mastiek								
STACSEAL-U1	n f		± ral 7040 ± ral 9005	SEALU1	0,7 kg/unit	± 0,6 L/unit	± 1,18 kg/L	99%
STACSEAL-S2-Black	n f		± ral 9005	SEALS2b	10,0 kg/set	± 7,5 L/set	± 1,35 kg/L	100%
STACSEAL-S2-Black-comp-A				SEALS2bA	9,2 kg/can	± 7,0 L/can	± 1,33 kg/L	100%
STACSEAL-S2-Black-comp-B				SEALS2bB	0,8 kg/can	± 0,5 L/can	± 1,62 kg/L	100%
				Large set: 20 kg	20,0 kg/set	± 15,0 L/set	± 1,35 kg/L	100%
					18,4 kg/can	± 14,0 L/can	± 1,33 kg/L	100%
					1,6 kg/can	± 1,0 L/can	± 1,62 kg/L	100%
STACSEAL-S2-Grey	n f		± ral 7040	SEALS2g	10,9 kg/set	± 7,5 L/set	± 1,47 kg/L	100%
STACSEAL-S2-Grey-comp-A				SEALS2gA	10,0 kg/can	± 6,9 L/can	± 1,46 kg/L	100%
STACSEAL-S2-Grey-comp-B				SEALS2gB	0,9 kg/can	± 0,6 L/can	± 1,62 kg/L	100%
				Large set: 21,8 kg	21,8 kg/set	± 15,0 L/set	± 1,47 kg/L	100%
					20,0 kg/can	± 13,9 L/can	± 1,46 kg/L	100%
					1,8 kg/can	± 1,1 L/can	± 1,62 kg/L	100%
STACSEAL-S2-T-Black	n f		± ral 9005	SEALS2Tb	10,0 kg/set	± 7,5 L/set	± 1,33 kg/L	100%
STACSEAL-S2-T-Black-comp-A				SEALS2TbA	9,2 kg/can	± 7,0 L/can	± 1,31 kg/L	100%
STACSEAL-S2-T-Black-comp-B				SEALS2TbB	0,8 kg/can	± 0,5 L/can	± 1,62 kg/L	100%
				Kleine set: 3,4 kg per box of 4 sets	3,4 kg/set	± 2,5 L/set	± 1,33 kg/L	100%
					3,1 kg/can	± 2,3 L/can	± 1,31 kg/L	100%
					0,3 kg/can	± 0,2 L/can	± 1,62 kg/L	100%
STACSEAL-S2-T-Grey	n f		± ral 7040	SEALS2Tg	11,3 kg/set	± 7,5 L/set	± 1,51 kg/L	100%
STACSEAL-S2-T-Grey-comp-A				SEALS2TgA	10,5 kg/can	± 7,0 L/can	± 1,50 kg/L	100%
STACSEAL-S2-T-Grey-comp-B				SEALS2TgB	0,8 kg/can	± 0,5 L/can	± 1,62 kg/L	100%
				Kleine set: 3,9 kg per box of 4 sets	3,9 kg/set	± 2,5 L/set	± 1,51 kg/L	100%
					3,6 kg/can	± 2,3 L/can	± 1,50 kg/L	100%
					0,3 kg/can	± 0,2 L/can	± 1,62 kg/L	100%
Kleefbanden								
STACTAPE-75	0,075x15 m	n f	grey tape	TAPE75	1,9 kg/tape	± 1,0 L/tape	± 1,80 kg/L	100%
STACTAPE-S	0,100x15 m	n f	grey tape	TAPES	2,5 kg/tape	± 1,4 L/tape	± 1,80 kg/L	100%
STACTAPE-150	0,150x15 m	n f	grey tape	TAPE150	3,8 kg/tape	± 2,1 L/tape	± 1,80 kg/L	100%
Solventen								
Verdunners								
STAC-V-THINNER		n f		VT	9,0 kg/can	± 10,0 L/can	± 0,90 kg/L	
STAC-U-THINNER		n f		UT	22,5 kg/can	± 25,0 L/can	± 0,90 kg/L	
					4,5 kg/can	± 5,0 L/can		
STAC-U-THINNER-S		n f		UTS	22,0 kg/can	± 25,0 L/can	± 0,87 kg/L	
STAC-E-THINNER		n f		ET	21,5 kg/can	± 25,0 L/can	± 0,86 kg/L	
STAC-E-THINNER-NOAR		n f		ETNA	24,0 kg/can	± 25,0 L/can	± 0,96 kg/L	
STACGALVA-THINNER		n f		GT	21,0 kg/can	± 25,0 L/can	± 0,84 kg/L	
					4,2 kg/can	± 5,0 L/can		
Oppervlakreinigers								
STACLEAN-ECO		n f		CLEANECO	20,0 kg/can	± 22,2 L/can	± 0,90 kg/L	
					160 kg/drum	± 178 L/drum		
STACLEAN-M		n f		CLEANM	20,0 kg/can	± 25,0 L/can	± 0,80 kg/L	
					165 kg/drum	± 206 L/drum		
STACLEAN-FIXTEN		n f		CLEANFT	25,0 kg/can	± 25,0 L/can	± 1,00 kg/L	
					10,0 kg/can	± 10,0 L/can		
STACLEAN-HYPOTEN		n f		CLEANHT	22,5 kg/can	± 20,0 L/can	± 1,12 kg/L	

Opmerkingen:

*: Afhankelijk van de densiteit van de specifieke kleur.

#: Overzicht Ral-kleuren n f

Prijzen zijn af-fabriek en excl. BTW.

Betalingscondities, EU: 30 dagen na factuurdatum.

Betalingscondities, ex-EU: PIA (payment in advance) betaling voor verzending.

Kleinere verpakkingen: + 2 €/kg.

TF (technische fiche): klik "n" naast de PRODUCT-naam.